

THE STANDARD Sodeal

COMPANY LIMITED
PORT HOPE CANADA

SECTIONAL
LAVATORIES

AND 
WASH SINKS

"BEARS THE PALM"

CATALOGUE "F"
SECTION "C"



\$ 85.00

CATALOGUE

“F”


The Standard Ideal Company Ltd.

SECTIONAL LAVATORIES
AND WASH SINKS

FACTORIES AND HEAD OFFICE
PORT HOPE, ONTARIO

BRANCH OFFICES AND SALESROOMS
TORONTO - MONTREAL - WINNIPEG

The Standard Ideal Company Ltd



"Yarmouth" Plate F 207

FIRST GRADE ENAMELED DOUBLE LAVATORY, Oval Basins and Apron, ALL IN ONE PIECE. Separate Back and Brackets NICKEL-PLATED Fuller Faucets with China Handles, "Ideal" Basin Wastes with China Indexes, $\frac{3}{8}$ -inch Iron Pipe size Brass Supply Pipes, $1\frac{1}{4}$ inch Adjustable "P" Traps with Wastes and Vents to Wall.

DIMENSIONS.

Size of Lavatory, 20x48 inches.


Basins, $11\frac{1}{2}$ x14 inches.

Back, 12 inches.

Prices.	Enameled Inside.	Enameled All Over.
F 207 Complete as described	\$66.50 (Nigrabunt)	\$75.50 (Nigrarem)
F 207 A Same, less all Fittings	\$37.00 (Nigravit)	\$46.00 (Nigreamus)
For $\frac{1}{2}$ -inch I. P. size Supply Pipes.....	add to above lists	\$1.00 (Nigredo)
For Compression Stops on Supply Pipes.....	add to above lists	3.50 (Nigrenas)
For Air Chambers on Supply Pipes.....	add to above lists	5.00 (Nigreno)

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd



"Medway" Plate F 208

FIRST GRADE ENAMELED DOUBLE LAVATORY, Basins and Aprons, ALL IN ONE PIECE. Separate Brackets. NICKEL-PLATED Fuller Faucets with China Handles, "Ideal" Basin Wastes with China Indexes, $\frac{3}{8}$ -inch Iron Pipe size Brass Supply Pipes, $1\frac{1}{4}$ -inch Adjustable "P" Traps with Wastes and Vents to Wall.

DIMENSIONS:

Size of Lavatory, 20x48 inches.


Bases, $11\frac{1}{2}$ x14 inches.

Prices.	Enameled Inside.	Enameled All Over.
F 208 Complete as described	\$62.00 (Nigrescent)	\$70.00 (Nigrette)
F 208 A Same, less all Fittings	\$32.50 (Nigrica)	\$40.50 (Nigricabat)
For $\frac{1}{2}$ -inch I. P. size Supply Pipes.....	add to above lists	\$1.00 (Nigredo)
For Compression Stops on Supply Pipes.....	add to above lists	3.50 (Nigrenas)
For Air Chambers on Supply Pipes.....	add to above lists	5.00 (Nigreno)

This Lavatory is especially designed for setting into marble or tiled wall, making a permanent and sanitary fixture.

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard **Ideal** Company Ltd.



"Figaro" **Plate F 209.**

FIRST GRADE ENAMELED QUADRUPLE BARBERS' LAVATORY, Oval Basins and Apron of each double section, ALL IN ONE PIECE. Heavy Cast Iron Frame and Legs. NICKEL-PLATED Union Strip, Fuller Faucets with China Handles, "Ideal" Basin Wastes with China Indexes, 1½-inch Continuous Waste with Adjustable Trap.

DIMENSIONS:

Size of Each Double Section, 20x48 inches.

Basins, 11½x14 inches.


Prices.	Enameled Inside.	Enameled All Over.
F 209 Complete as described	\$138.00 (Nigricolor)	\$154.00 (Nigricorne)
F 209 A Same, less all Fittings.....	\$65.00 (Nigricure)	\$81.00 (Nigriculos)

Enameled Inside Lavatories are furnished with Painted Legs.

Enameled All-Over Lavatories are furnished with Enameled Legs.

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd



"Keswick" Plate F 210

FIRST GRADE ENAMELED DOUBLE BATTERY (Eight) LAVATORIES, Roll Rim on all sides, Apron, Oval Basin, and Overflow, ALL IN ONE PIECE. Heavy Cast Iron Frame and Legs, NICKEL-PLATED Compression Faucets, 1½-inch Continuous Waste, Adjustable Trap and Chain Stays.

DIMENSIONS:


Size of Lavatory 20x24 inches. Basin 12x15 inches.
Size of Lavatory 22x27 inches. Basin 13x17 inches.

Prices.	Enameled Inside.	Enameled All Over.
F 210 20x24 in., as described	\$171.00 (Nerval)	\$206.00 (Nervalium)
F 210 A 20x24 in., less all Fittings.....	\$123.00 (Nervement)	\$158.00 (Nervenast)
F 210 B 22x27 in., as described	\$203.00 (Nervicht)	\$242.00 (Nervien)
F 210 C 22x27 in., less all Fittings.....	\$155.00 (Neryiger)	\$194.00 (Nervigno)
For N. P. Cast Brass P. O. Plug and Rubber Stopper, add, each Plug	\$0.50 (Nervo)	

Enameled Inside Lavatories are furnished with Painted Legs.
Enameled All-Over Lavatories are furnished with Enameled Legs.
Can be furnished in any number of Lavatories required.

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd



"Carlisle" Plate F 211

FIRST GRADE ENAMELED LAVATORIES IN BATTERY (Five Lavatories), D-shaped Basin, Overflow, Ornamental Apron and Recessed Back, ALL IN ONE PIECE. Concealed Wall Hangers, NICKEL-PLATED Compression Faucets, $\frac{3}{8}$ -inch Iron Pipe size Brass Supply Pipes, $1\frac{1}{4}$ -inch Adjustable "P" Trap with Waste and Vent to Wall, Overflow Strainer and Chain Stay.


DIMENSIONS:

Size of Lavatory 19x24 inches. Basin 12x14 inches. Back 10 inches.

Prices.	Enameled Inside.	Enameled All Over.
F 211 as described	\$133.75 (Nesoden)	\$153.75 (Nesokie)
F 211 A less all Fittings	\$87.50 (Nespera)	\$107.50 (Nespola)
For China Indexes on Faucets.....add to above lists \$ 5.00 (Nessel) For $\frac{1}{2}$ -inch I P size Supply Pipes.....add to above lists 2.50 (Nesselbaum) For Compression Stops on Supply Pipes.....add to above lists 8.75 (Nesselbest) For Air Chambers on Supply Pipes.....add to above lists 12.50 (Nesselgift) For N. P. Cast Brass P. O. Plugs and Rubber Stoppers.....add to above lists 2.50 (Nesseltuch)		

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd



"Oban" Plate F 212

FIRST GRADE ENAMELED LAVATORIES IN BATTERY (Six Lavatories), Apron, Oval Bowl, Back and Overflow ALL IN ONE PIECE. Concealed Wall Hangers. NICKEL-PLATED Fuller Faucets, $\frac{3}{8}$ -inch Iron Pipe size Brass Supply Pipes with Compression Stops, $1\frac{1}{4}$ -inch Adjustable "P" Trap with Waste and Vent to Wall, Chain Stay and Chain.


DIMENSIONS:

Size of Lavatory 20x24 inches. Basin 12x15 inches Back 10 inches.

Prices.	Enameled Inside.	Enameled All Over
F 212 as described	\$172.50 (Nestor)	\$196.50. (Nestorian)
F 212 A less all Fittings.....	\$111.00 (Netbord)	\$135.00 (Netelig)
For China Handles on Faucets.....add to above lists \$ 6.00 (Netelplant) For $\frac{1}{2}$ -inch I P size Supply Pipes.....add to above lists 3.00 (Netenkam) For Air Chambers on Supply Pipes.....add to above lists 15.00 (Netenkop) For N. P. Cast Brass P. O. Plugs and Rubber Stoppers.....add to above lists 3.00 (Netinho)		

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER

The Standard Ideal Company Ltd



"Atherstone" Plate 213

FIRST GRADE ENAMELED LAVATORIES IN BATTERY (Seven Lavatories), D-shaped Basin, Apron, Overflow and Back ALL IN ONE PIECE. Concealed Wall Hangers, NICKEL-PLATED Fuller Faucets, $\frac{3}{8}$ -inch Iron Pipe size Brass Supply Pipes, $1\frac{1}{2}$ -inch Continuous Waste with Adjustable "S" Trap with Vent to Wall, Overflow Strainers and Chain Stays.


DIMENSIONS:

Size of Lavatory 18x21 inches. Basin 11x15 inches. Back 8 inches.

Prices.	Enameled Inside	Enameled All Over.
F 213 as described	\$135.75 (Netklep)	\$155.00 (Netsteen)
F 213 A less all Fittings.....	\$71.75 (Netstok)	\$91.00 (Nettandra)
For China Handles on Faucets.....	add to above lists	\$ 7.00 (Neturi)
For $\frac{1}{2}$ -inch I P size Supply Pipes.....	add to above lists	3.50 (Netwerk)
For Compression Stops on Supply Pipes.....	add to above lists	12.25 (Networp)
For Air Chambers on Supply Pipes.....	add to above lists	17.50 (Netzartig)
For N. P. Cast Brass P. O. Plugs and Rubber Stoppers.....	add to above lists	3.50 (Netzchen)

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd.



"Gainsborough" Plate F 214

FIRST GRADE ENAMELED LAVATORIES IN BATTERY (Eight Lavatories), D-shaped Basin, Overflow and Back ALL IN ONE PIECE. Concealed Wall Hangers, NICKEL-PLATED Compression Faucets, $\frac{3}{8}$ -inch Iron Pipe size Brass Supply Pipes, $1\frac{1}{2}$ -inch Continuous Waste, Adjustable "S" Trap with Vent to Wall, Overflow Strainers and Chain Stays.


DIMENSIONS:

Size of Lavatory 19x24 inches. Basin 12x15 inches. Back 10 inches.

Prices.	Enameled Inside	Enameled All Over
F 214 as described	\$165.75 (Netzring)	\$189.75 (Netzsack)
F 214 A less all Fittings.....	\$92.00 (Neubauten)	\$116.00 (Neubruch)
For China Indexes on Faucets	add to above lists	\$ 8.00 (Neuerung)
For $\frac{1}{2}$ -inch I P size Supply Pipes.....	add to above lists	4.00 (Neugeburt)
For Compression Stops on Supply Pipes.....	add to above lists	14.00 (Neugerste)
For Air Chambers on Supply Pipes.....	add to above lists	20.00 (Neuger)
For N. P. Cast Brass P. O. Plugs and Rubber Stoppers.....	add to above lists	4.00 (Neuheit)

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd



"Camborne" Plate F 215

FIRST GRADE ENAMELED LAVATORIES IN BATTERY (Ten Lavatories), D-shaped Basin, Overflow and Back, ALL IN ONE PIECE. Concealed Wall Hangers, NICKEL-PLATED Fuller Faucets, $\frac{3}{8}$ -inch Iron Pipe size Brass Supply Pipes, Continuous Waste with Adjustable "S" Trap with Vent to Wall, Overflow Strainers and Chain Stays.


DIMENSIONS:

Size of Lavatory 18x21 inches. Basin 11x15 inches. Back 8 inches.

Prices.	Enameled Inside	Enameled All Over
F 215 as described	\$169.75 (Neujahr)	\$199.75 (Neume)
F 215 A less all Fittings	\$80.00 (Neumond)	\$110.00 (Neuneck)
For China Handles on Faucets.....	add to above lists	\$10.00 (Neuntel)
For $\frac{1}{2}$ -inch I P size Supply Pipes.....	add to above lists	5.00 (Neurada)
For Compression Stops on Supply Pipes.....	add to above lists	17.50 (Neuradis)
For Air Chambers on Supply Pipes.....	add to above lists	25.00 (Neuralgy)
For N. P. Cast Brass P. O. Plugs and Rubber Stoppers.....	add to above lists	5.00 (Neurisme)

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd.



"Rochester" Plate F 216

FIRST GRADE ENAMELED DOUBLE SECTIONAL LAVATORY (Four Double Sections), Basin and Overflow and Apron of Each Section ALL IN ONE PIECE. Cast Iron Frame and Legs, NICKEL-PLATED Union Strips, Compression Faucets, 1½-inch Continuous Waste and Adjustable "S" Trap, Overflow, Strainers, Chain Stays, and Enameled Soap Dishes.


DIMENSIONS:

Size of Lavatory 18x24 inches.	Basin 12x15 inches.
Size of Lavatory 20x24 inches.	Basin 12x15 inches.

Prices.	Enameled Inside.	Enameled All Over.
F 216 18x24 in., as described	\$180.00	\$200.00
F 216 A 18x24 in., less all Fittings	(Neuroth) \$124.00	(Neuruz) \$144.00
18x24 in., each additional Double Section, less all Fittings	(Neusgat) \$31.00	(Neusgaten) \$36.00
F 216 B 20x24 in., as described	(Neusring) \$196.00	(Neusstuk) \$216.00
F 216 C 20x24 in., less all Fittings	(Neuswortel) \$140.00	(Neutaufe) \$160.00
20x24 in., each additional Double Section, less all Fittings	(Neuvenent) \$35.00	(Neuvieme) \$40.00
	(Nexibilis)	(Nexible)
Faucets and Waste for Each additional Double Section.....	\$13.00	\$13.00
For N.P. Cast Brass P.O. Plugs and Rubber Stoppers, add, each Plug	(Neustoon) \$0.50	(Neuswond)
	(Neusworm)	

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd



"Dovedale" Plate F 217

FIRST GRADE ENAMELED DOUBLE SECTIONAL LAVATORY (Two Double Sections), Basin, Overflow and Apron of Each Section ALL IN ONE PIECE. Cast Iron Frame and Legs, NICKEL-PLATED Union Strips, Compression Faucets, 1¼-inch Continuous Waste and Adjustable "S" Trap, Overflow Strainers, Chain Stays, and Enameled Soap Dishes.


DIMENSIONS:

Size of Lavatory 18x24 inches. Basin 12x15 inches.
Size of Lavatory 20x24 inches. Basin 12x15 inches.

Prices.	Enameled Inside.	Enameled All Over.
F 217 18x24 in., as described	\$88.25 (Neutha)	\$98.25 (Neuthaler)
F 217 A 18x24 in., less all Fittings	\$62.00 (Neutos)	\$72.00 (Neutrol)
18x24 in., each additional Double Section, less all Fittings	\$31.00 (Neutralize)	\$36.00 (Neutrum)
F 217 B 20x24 in., as described	\$96.25 (Nexilium)	\$106.25 (Nexionis)
F 217 C 20x24 in., less all Fittings	\$70.00 (Nibhaz)	\$80.00 (Nibile)
20x24 in., each additional Double Section, less all Fittings	\$35.00 (Niechio)	\$40.00 (Niechione)
Faucets and Waste for each additional Double Section.....	\$11.75 (Neuwahl)	\$11.75 (Neuwahlen)
For N. P. Cast Brass P. O. Plugs and Rubber Stoppers, add, each Plug	\$0.50 (Neusworm)	

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd.



"Malvern" Plate F 218

FIRST GRADE ENAMELED DOUBLE SECTIONAL LAVATORY (Four Double Sections), Basin and Overflow of Each Section IN ONE PIECE. Cast Iron Frame and Legs, NICKEL-PLATED Union Strips, Compression Faucets, 1½-inch Continuous Waste and Adjustable "S" Trap, Overflow Strainers, Chain Stays and Enameled Soap Dishes.

DIMENSIONS:


Size of Lavatory 16x20 inches.
Size of Lavatory 18x24 inches.
Size of Lavatory 22x27 inches.

Basin 11x14 inches.
Basin 12x15 inches.
Basin 12x15 inches.

Prices.	Enameled Inside.	Enameled All Over.
F 218 16x20 in., as described	\$136.00 (Nevadas)	\$156.00 (Nev2304)
F 218 A 16x20 in., less all Fittings.....	\$80.00 (Nevazzo)	\$100.00 (Nevada)
16x20 in., each additional Double Section, less all Fittings.	\$20.00 (Nevelmist)	\$25.00 (Nevelrook)
F 218 B 18x24 in., as described	\$152.00 (Nevelvlek)	\$172.00 (Nevelwolk)
F 218 C 18x24 in., less all Fittings.....	\$96.00 (Nevermore)	\$116.00 (Neverunt)
18x24 in., each additional Double Section, less all Fittings.	\$24.00 (Neviscar)	\$29.00 (Nevisset)
F 218 D 22x27 in., as described	\$172.00 (Nevisti)	\$196.00 (Nevosas)
F 218 E 22x27 in., less all Fittings.....	\$116.00 (Newness)	\$140.00 (Newsboy)
22x27 in., each additional Double Section, less all Fittings..	\$29.00 (Newsman)	\$35.00 (Newsroom)
Faucets and Waste for each additional Double Section.....	\$13.00 (Newton)	\$13.00 (Newts)
For N. P. Cast Brass P. O. Plugs and Rubber Stoppers, add, each Plug	\$0.50 (Neusworm)	

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd



"Sydney" Plate F 225

FIRST GRADE ENAMELED SECTIONAL LAVATORY (Two Lavatories and One Sink Section), Basin, Overflow and Apron of Each Section ALL IN ONE PIECE. Separate Backs and Brackets, NICKEL-PLATED Union Strips, Fuller Faucets and Adjustable Flange Bibbs, $\frac{3}{8}$ -inch Iron Pipe size Brass Supply Pipes, $1\frac{1}{4}$ -inch Continuous Waste and Adjustable "S" Trap with Vent to Wall, Overflow Strainers, Chain Stays and Soap Cups.


DIMENSIONS:

Size of Lavatory 18x24 inches.	Basin 12x15 inches.	Sink 18x24 inches.	Back 12 inches.
Size of Lavatory 20x24 inches.	Basin 12x15 inches.	Sink 20x24 inches.	Back 12 inches.

Prices.	Enameled Inside.	Enameled All Over.
F 225 18x24 in., as described	\$73.75 (Nexanda)	\$82.75 (Nexandus)
F 225 A 18x24 in., less all Fittings	\$48.00 (Nexisse)	\$57.00 (Nexorum)
18x24 in., each additional Section, less all Fittings.....	\$16.00 (Nexuram)	\$19.00 (Nexuros)
F 225 B 20x24 in., as described	\$84.25 (Nicolane)	\$93.25 (Nicobarin)
F 225 C 20x24 in., less all Fittings	\$58.50 (Nicolaita)	\$67.50 (Nicoleos)
20x24 in., each additional Section, less all Fittings.....	\$19.50 (Nicomachus)	\$22.50 (Nicomague)
Faucets, Supply Pipes and Waste for each additional Lavatory Section	\$8.00 (Nexus)	\$8.00 (Nexiah)
Bibbs and Waste for each additional Sink Section.....	\$7.25 (Niable)	\$7.25 (Nibbio)
For N.P. Cast Brass P.O. Plugs and Rubber Stoppers, add, each Plug	.50 (Neusworm)	

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd.



"Auckland" Plate F 226

FIRST GRADE ENAMELED SECTIONAL LAVATORY (Two Lavatories and One Sink Section), Basin, Overflow and Apron of Each Section ALL IN ONE PIECE. Separate Backs, Right or Left End Piece, and Brackets, NICKEL-PLATED Union Strips, Fuller Faucets and Adjustable Flange Bibbs, $\frac{3}{8}$ -inch Iron Pipe size Brass Supply Pipes, $1\frac{1}{4}$ -inch Continuous Waste with Adjustable "S" Trap with Vent to Wall, Overflow Strainers, Chain Stays and Soap Cups.

DIMENSIONS:

Size of Lavatory 18x24 inches.	Basin 12x15 inches.	Sink 18x24 inches.	Back 12 inches.
Size of Lavatory 20x24 inches.	Basin 12x15 inches.	Sink 20x24 inches.	Back 12 inches.


Prices.	Enameled Inside.	Enameled All Over.
F 226 18x24 in., as described	\$76.25 (Nicander)	\$85.25 (Nicandro)
F 226 A 18x24 in., less all Fittings	\$50.00 (Nicarque)	\$59.00 (Nicasio)
18x24 in., each additional Section, less all Fittings.....	\$16.00 (Nicatorum)	\$19.00 (Nicatoris)
F 226 B 20x24 in., as described	\$86.75 (Nicophron)	\$95.75 (Nicoteux)
F 226 C 20x24 in., less all Fittings	\$60.50 (Nicotylia)	\$69.50 (Nictation)
20x24 in., each additional Section, less all Fittings.....	\$19.50 (Nideur)	\$22.50 (Nidgery)
Faucets, Supply Pipes and Waste for each additional Lavatory Section	\$8.50 (Niccolate)	\$8.50 (Niccolique)
Bibbs and Waste for each additional Sink Section.....	\$7.75 (Nicely)	\$7.75 (Niceness)
For N. P. Cast Brass P. O. Plug and Rubber Stopper, add, each Plug	\$0.50 (Neusworm)	

Can be furnished all Lavatory Sections if desired.

Lavatory with Right Hand End, as shown, will be sent unless otherwise ordered

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd



"Southport" Plate F 227

FIRST GRADE ENAMELED SECTIONAL LAVATORY (Three Sections), Basin, Overflow and Apron of Each Section ALL IN ONE PIECE. Separate Backs and Brackets, NICKEL-PLATED Union Strips, Fuller Faucets, $\frac{3}{8}$ -inch Iron Pipe size Brass Supply Pipes, $1\frac{1}{4}$ -inch Continuous Waste and Adjustable "S" Trap with Vent to Wall, Overflow Strainers, Chain Stays and Soap Cups.


DIMENSIONS:

Size of Lavatory 18x24 inches.	Basin 12x15 inches.	Back 12 inches.
Size of Lavatory 20x24 inches.	Basin 12x15 inches.	Back 12 inches.

Prices.	Enameled Inside.	Enameled All Over.
F 227 18x24 in., as described	\$75.00 (Nicephore)	\$84.00 (Nicerose)
F 227 A 18x24 in., less all Fittings	\$48.00 (Niepilo)	\$57.00 (Nichte)
18x24 in., each additional Section, less all Fittings.....	\$16.00 (Nichus)	\$19.00 (Nicippe)
F 227 B 20x24 in., as described	\$85.50 (Nickelkies)	\$94.50 (Nickeler)
F 227 C 20x24 in., less all Fittings	\$58.50 (Nichtchen)	\$67.50 (Nichtsnutz)
20x24 in., each additional Section, less all Fittings.....	\$19.50 (Nieippus)	\$22.50 (Nicknaming)
Faucets, Supply Pipes and Waste for each additional Section.....	\$8.50 (Nickel)	\$8.50 (Nickelure)
For N. P. Cast Brass P. O. Plug and Rubber Stopper, add, each Plug	\$0.50 (Neusworm)	

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd



"Doncaster" Plate F 228

FIRST GRADE ENAMELED SECTIONAL LAVATORY (Four Sections), Basin and Overflow of Each Section IN ONE PIECE. Separate Backs and Brackets, NICKEL-PLATED Union Strips, Doherty Self-Closing Faucets, $\frac{3}{8}$ -inch Iron Pipe size Brass Supply Pipes, $1\frac{1}{4}$ -inch Continuous Waste and Adjustable "S" Trap with Vent to Wall, Overflow Strainers, Chain Stays and Soap Cups.


DIMENSIONS:

Size of Lavatory 16x20 inches.	Basin 11x14 inches.	Back 12 inches.
Size of Lavatory 18x24 inches.	Basin 12x15 inches.	Back 12 inches.
Size of Lavatory 22x27 inches.	Basin 12x15 inches.	Back 12 inches.

Prices.	Enameled Inside.	Enameled All Over.
F 228 16x20 in., as described	\$85.75 (Nicobolus)	\$95.75 (Nicodemus)
F 228 A 16x20 in., less all Fittings.....	\$42.00 (Nicodeme)	\$52.00 (Nicoderus)
16x20 in., each additional Section, less all Fittings.....	\$10.50 (Nicombar)	\$13.00 (Nicomedis)
F 228 B 18x24 in., as described	\$93.75 (Nicophore)	\$103.75 (Nicopolis)
F 228 C 18x24 in., less all Fittings.....	\$50.00 (Nictage)	\$60.00 (Nictalope)
18x24 in., each additional Section, less all Fittings.....	\$12.50 (Nictibat)	\$15.00 (Nictitate)
F 228 D 22x27 in., as described	\$103.75 (Nicticora)	\$115.75 (Nictunt)
F 228 E 22x27 in., less all Fittings.....	\$60.00 (Nidada)	\$72.00 (Nidalie)
22x27 in., each additional Section, less all Fittings.....	\$15.00 (Nidary)	\$18.00 (Nidering)
Faucets, Supply Pipes and Waste for each additional Section.....	\$10.50 (Nidicorum)	\$10.50 (Nidicum)
For N. P. Cast Brass P. O. Plug and Rubber Stopper, add, each Plug	\$0.50 (Neusworm)	

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd



"Elba" Plate F 229

FIRST GRADE ENAMELED SECTIONAL LAVATORY (Three Sections). Separate Backs and Brackets, NICKEL-PLATED Union Strips, Fuller Faucets, $\frac{3}{8}$ -inch Iron Pipe size Brass Supply Pipes, "Ideal" Basin Wastes, $1\frac{1}{4}$ -inch Continuous Waste and Adjustable Trap with Vent, and Soap Cups.


DIMENSIONS:

Size of Lavatory 22x27 inches. Basin 12x15 inches. Back 12 inches.

Prices.	Enameled Inside.	Enameled All Over.
F 229 as described	\$88.50 (Nidoris)	\$97.50 (Nidorose)
F 229 A less all Fittings.....	\$45.00 (Nidulite)	\$54.00 (Nidulor)
Each Additional Section, less all Fittings.....	\$15.00 (Niederlage)	\$18.00 (Niederlung)
Faucets, Supply Pipes, "Ideal" and Continuous Wastes and Trap for each additional Section	\$14.00 (Niedrig)	\$14.00 (Niedriger)

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd



"Malta" Plate F 230

FIRST GRADE ENAMELED SECTIONAL LAVATORY (Two Sections), Basin and Overflow of Each Section IN ONE PIECE. Separate Backs, Right or Left End Piece, and Brackets, NICKEL-PLATED Union Strips, Fuller Faucets, $\frac{3}{8}$ -inch Iron Pipe size Brass Supply Pipes, $1\frac{1}{4}$ -inch Continuous Waste and Adjustable "S" Trap with Vent to Wall, Overflow Strainers, Chain Stays, and Soap Cups.

DIMENSIONS:


Size of Lavatory 16x20 inches.	Basin 11x14 inches.	Back 12 inches.
Size of Lavatory 18x24 inches.	Basin 12x15 inches.	Back 12 inches.
Size of Lavatory 22x27 inches.	Basin 12x15 inches.	Back 12 inches.

Prices.	Enameled Inside.	Enameled All Over.
F 230 16x20 in., as described	\$42.75 (Niemand)	\$47.75 (Niemanden)
F 230 A 16x20 in., less all Fittings.....	\$22.50 (Niemandal)	\$27.50 (Nierait)
16x20 in., each additional Section, less all Fittings.....	\$10.50 (Nierbed)	\$13.00 (Niergras)
F 230 B 18x24 in., as described	\$47.25 (Nierhout)	\$52.25 (Nierkelk)
F 230 C 18x24 in., less all Fittings.....	\$27.00 (Nierkoorts)	\$32.00 (Nierkramp)
18x24 in., each additional Section, less all Fittings.....	\$12.50 (Niermiddel)	\$15.00 (Nierstuk)
F 230 D 22x27 in., as described	\$52.75 (Niervaten)	\$58.75 (Niervlecht)
F 230 E 22x27 in., less all Fittings.....	\$32.50 (Nierwond)	\$38.50 (Nieswortel)
22x27 in., each additional Section, less all Fittings.....	\$15.00 (Nietfest)	\$18.00 (Nietfester)
Faucets, Supply Pipes and Waste for each additional Section.....	\$8.50 (Niethammer)	\$8.50 (Nietnagel)
For N. P. Cast Brass P. O. Plug and Rubber Stopper, add, each Plug	\$0.50 (Neusworm)	

Lavatory with Right Hand End, as shown, will be sent unless otherwise ordered.

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd.



"Montreal" Plate F 455

FIRST GRADE ENAMELED ROLL RIM WASH SINK, with 12-inch Back and Waste Outlet in Centre, Overflow Connection, Galvanized Iron Concealed Supply Pipe, with Nickel-Plated Brass Compression Faucets, Loose Key Stop, Enameled Iron Soap Cups, Painted Iron Brackets and 1½-inch Rough Brass Trap with Vent to Wall.

DIMENSIONS:

Width over all 18 inches. Width inside 14 inches.
Depth at Outlet 8½ inches. Height of Back 12 inches.
Depth of Back 2¼ inches.

PRICES.

INCLUDING ENAMELED SINK, BACK, SOAP CUPS, AND BRACKETS.


5 ft. long, less all Fittings.....	\$33.50 (Porus)
8 ft. long, less all Fittings.....	53.60 (Porvida)
10 ft. long, less all Fittings.....	67.00 (Porvir)
12 ft. long, less all Fittings.....	80.40 (Porxit)
15 ft. long, less all Fittings.....	100.50 (Posala)
18 ft. long, less all Fittings.....	120.60 (Posasses)
20 ft. long, less all Fittings.....	134.00 (Posato)
25 ft. long, less all Fittings.....	167.50 (Poscamus)

For Faucets, each	add to above lists	\$1.50 (Poscebat)
For Loose Key Stop	add to above lists	1.75 (Posdata)
For 1½-inch Rough Brass Trap	add to above lists	6.00 (Poseur)
For Concealed Galvanized Supply Pipe with Brass "T" for each Faucet...	add to above lists	2.00 (Posfecha)

When ordering complete state if Inlet or Stop Cock is to be on Right or Left Hand End.

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd.



"Toronto" Plate F 456

FIRST GRADE ENAMELED ROLL RIM WASH SINK, 12-inch Back and Waste Outlet in Centre, Overflow Connection, Galvanized Iron Concealed Supply Pipes, with Nickel-Plated Brass Compression Faucets, Loose Key Stop, Enameled Iron Soap Cups, Painted Iron Legs and 1½-inch Rough Brass Trap with Vent to Wall.

DIMENSIONS:

Width over all, 18 inches. Width inside, 14 inches.
Depth at Outlet, 8½ inches. Height of Back, 12 inches.
Depth of Back, 2¼ inches.

PRICES.


INCLUDING ENAMELED SINK, BACK, SOAP CUPS, AND LEGS.

5 ft. long, less all Fittings.....	\$35.50 (Posited)
8 ft. long, less all Fittings.....	56.60 (Position)
10 ft. long, less all Fittings.....	70.00 (Positore)
12 ft. long, less all Fittings.....	84.40 (Positura)
15 ft. long, less all Fittings.....	104.50 (Posolla)
18 ft. long, less all Fittings.....	125.60 (Pospasto)
20 ft. long, less all Fittings.....	139.00 (Pospelo)
25 ft. long, less all Fittings.....	172.50 (Posperna)
For Faucets, each	add to above lists \$1.50 (Poscebat)
For Loose Key Stop	add to above lists 1.75 (Posdata)
For 1½-inch Rough Brass Trap	add to above lists 6.00 (Poseur)
For Concealed Galvanized Supply Pipe with Brass "T" for each Faucet....	add to above lists 2.00 (Posfecha)

When ordering complete state if Inlet or Stop Cock is to be on Right or Left Hand End.

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd.



"Kingston" Plate F 457

FIRST GRADE ENAMELED ROLL RIM WASH SINK, with Waste Outlet in Centre and Overflow Connection. Roll Rim all round. Brass Supply Pipe with Pipe Straps for Fastening to Wall. Compression Faucets, Loose Key Stop, Painted Iron Legs and 1½-inch Rough Brass Trap with Vent to Wall.

DIMENSIONS:

Width over all, 18 inches. Width inside, 14 inches.
Depth at Outlet, 8½ inches.


PRICES.

5 ft. long, Complete as described, less Faucets and Trap.....	\$48.75	(Pospolita)
8 ft. long, Complete as described, less Faucets and Trap.....	72.75	(Posponer)
10 ft. long, Complete as described, less Faucets and Trap.....	88.75	(Pospongo)
12 ft. long, Complete as described, less Faucets and Trap.....	105.50	(Pospor)
15 ft. long, Complete as described, less Faucets and Trap.....	137.50	(Posposta)
18 ft. long, Complete as described, less Faucets and Trap.....	155.00	(Posquetos)
20 ft. long, Complete as described, less Faucets and Trap.....	171.00	(Possanca)
25 ft. long, Complete as described, less Faucets and Trap.....	213.75	(Possante)

For Faucets, each	add to above lists	\$1.50 (Poscebat)
For 1½-inch Rough Brass Trap	add to above lists	6.00 (Poseur)

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd.



"Hamilton" Plate F 458

FIRST GRADE ENAMELED ROLL RIM WASH SINK, with 12-inch Back, Waste Outlet in Centre, Overflow Connection, Galvanized Iron Concealed Supply Pipe, Compression Faucets, Galvanized Perforated Spray Pipe with Valve. Enameled Iron Soap Cups. Painted Iron Brackets and 1½-inch Rough Brass Trap.

DIMENSIONS:

Width over all, 18 inches. Width inside, 14 inches.
Depth at Outlet, 8½ inches. Height of Back, 12 inches.
Depth of Back, 2¼ inches.


PRICES.

5 ft. long, Complete as described above.....	\$52.50 (Posse)
8 ft. long, Complete as described above.....	78.00 (Possedant)
10 ft. long, Complete as described above.....	96.25 (Possedons)
12 ft. long, Complete as described above.....	114.50 (Possible)
15 ft. long, Complete as described above.....	140.00 (Possiedo)
18 ft. long, Complete as described above.....	166.00 (Possivel)
20 ft. long, Complete as described above.....	184.25 (Possumus)
25 ft. long, Complete as described above.....	227.75 (Postal)
If without Faucets	deduct from above lists, each \$1.50 (Postamt)
If without Trap	deduct from above lists 6.00 (Postaux)

The Spray extends along the entire length of sink and can be shut off without interfering with supply of the Faucets.

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd



Ottawa' Plate F 459

FIRST GRADE ENAMELED ROLL RIM WASH SINK, with 12-inch Back, Centre Outlet, Overflow Connection, Galvanized Iron Concealed Supply Pipe with Nickel-Plated Cast Brass Spouts, Compression Faucet, Loose Key Stop, Painted Iron Brackets and 1½-inch Rough Brass Trap with Vent to Wall.

DIMENSIONS:

Width over all, 18 inches. Width inside, 14 inches.
Depth at Outlet, 8½ inches. Height of Back, 12 inches.
Depth of Back, 2¼ inches.

PRICES.


INCLUDING ENAMELED SINK, BACK AND BRACKETS.

5 ft. long, less all Fittings.....		\$33.50 (Postbill)
8 ft. long, less all Fittings.....		53.60 (Postboden)
10 ft. long, less all Fittings.....		67.00 (Postboy)
12 ft. long, less all Fittings.....		80.40 (Postbrief)
15 ft. long, less all Fittings.....		100.50 (Postdate)
18 ft. long, less all Fittings.....		120.60 (Postdorsal)
20 ft. long, less all Fittings.....		134.00 (Postface)
25 ft. long, less all Fittings.....		167.50 (Postfix)
For Nickel-Plated Spouts, each.....	add to above lists	\$1.00 (Postgut)
For Faucets, each	add to above lists	1.50 (Poscebat)
For Loose Key Stop	add to above lists	1.75 (Posdata)
For 1½-inch Rough Brass Trap	add to above lists	6.00 (Poseur)
For Concealed Galvanized Supply Pipe with Brass "T," for each Spout... add to above lists		2.00 (Posfecha)

NOTE.—F 459 is provided with Spouts supplied through a Concealed Supply Pipe. When Valve on Main Supply is open all of the Spouts are supplied. When Valve is closed water can be obtained through Faucet connected with Pipe above the Valve.

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd



"Quebec" Plate F 460

FIRST GRADE ENAMELED DOUBLE ROLL RIM WASH SINK, with 12-inch Backs, Waste Outlets in Centre, Overflow Connections, Galvanized Iron Concealed Supply Pipe with Compression Faucets, Galvanized Perforated Spray Pipe with Valve. Enameled Iron Soap Cups, Two Loose Key Stops, Painted Iron Legs and Braces.

DIMENSIONS:

Width over all, 38 inches.	Width inside, 14 inches.
Depth at Outlet, 8½ inches.	Height of Back, 12 inches.
Depth of Back, 2¼ inches.	

PRICES.


5 ft. long, Double, Complete as described.....	\$105.00 (Postibus)
8 ft. long, Double, Complete as described.....	156.00 (Postigos)
10 ft. long, Double, Complete as described.....	192.50 (Postillo)
12 ft. long, Double, Complete as described.....	229.00 (Postillar)
15 ft. long, Double, Complete as described.....	280.00 (Postille)
18 ft. long, Double, Complete as described.....	332.00 (Postillon)
20 ft. long, Double, Complete as described.....	368.50 (Postizaa)
25 ft. long, Double, Complete as described.....	455.50 (Postjacht)
If without Faucetsdeduct from above lists for each \$1.50 (Postamt)	

The Spray Pipe is intended to furnish clean water for rinsing purposes.

The Spray can be shut off when not required without interfering with supply from Faucets.

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd.



"Winnipeg" Plate F 461

FIRST GRADE ENAMELED DOUBLE ROLL RIM WASH SINK, with Enameled Iron Connecting Strips, Waste Outlets in Centre, Overflow Connections, N. P. P. O. Plug, Special Double Compression Faucets, Enameled Iron Soap Cups, Painted Iron Legs and Braces.


DIMENSIONS

Width over all, 38 inches Width inside, 14 inches
Depth at Outlet, 8½ inches

PRICES	Complete	Less Faucets
5 ft. long, Double, Complete as described with 2 Double Faucets..	\$ 86.50 (Postkarte)	\$ 72.50 (Potatoes)
8 ft. long, Double, Complete as described with 2 Double Faucets..	128.00 (Postkassen)	114.00 (Potboter)
10 ft. long, Double, Complete as described with 4 Double Faucets..	171.50 (Postknecht)	143.50 (Potecar)
12 ft. long, Double, Complete as described with 4 Double Faucets..	198.00 (Postlooper)	170.00 (Potencial)
15 ft. long, Double, Complete as described with 6 Double Faucets..	250.00 (Postmark)	208.00 (Potentat)
18 ft. long, Double, Complete as described with 6 Double Faucets..	287.50 (Postomis)	245.50 (Potenza)
20 ft. long, Double, Complete as described with 8 Double Faucets..	328.50 (Postores)	272.50 (Poterna)
25 ft. long, Double, Complete as described with 10 Double Faucets..	407.00 (Postos)	337.00 (Potilis)
For Special Double Faucets add, each.....		\$7.00 (Potiphar)

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd



"Galt" Plate F 462

FIRST GRADE ENAMELED INSIDE CORNER SECTION FOR ROLL RIM WASH SINK, with 12-inch Back. Outlet and Overflow Connection.

DIMENSIONS:


Width over all, 18 inches.	Width inside, 14 inches.
Depth at Outlet, 8½ inches.	Height of Back, 12 inches.
Depth of Back, 2¼ inches.	
Length inside corner section at back, 2 feet from either end to corner.	

PRICE.

F 462 as described	\$31.00 (Postpaket)
--------------------------	---------------------

These Corner Sections can be added to Wash Sinks illustrated on preceding pages.

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.



"Guelph" **Plate F 463**

FIRST GRADE ENAMELED OUTSIDE CORNER SECTION FOR ROLL RIM WASH SINK, with 12-inch Back Outlet and Overflow Connection.

DIMENSIONS:

Width over all, 18 inches.	Width inside, 14 inches.
Depth at Outlet, 8½ inches.	Height of Back, 12 inches.
Depth of Back, 2¼ inches.	
Length outside corner section at front, 2 ft. from either end to corner.	


PRICE.

F 463 as described	\$31.00 (Postpapier)
--------------------------	----------------------

These Corner Sections can be added to Wash Sinks illustrated on preceding pages.

WHEN ORDERING OR SPECIFYING, GIVE CATALOGUE NAME AND NUMBER.

The Standard **Ideal** Company Ltd



"London" **Plate F 464**

FIRST GRADE ENAMELED ROLL RIM WASH SINK, with Overflow and Back on Brackets. Nickel-Plated Union Strip, Overflow Strainer, Soap Dish, Fuller Flanged Bibbs and 1½-inch Adjustable "P" Trap with Waste and Vent to Wall.

DIMENSIONS:


Length over Rim, 60 inches.	Depth, 6 inches.
Width over Rim, 22 inches.	Back, 12 inches.

PRICES.

F 464 as described	\$42.00 (Postponing)
F 464 A same, less Bibbs and Trap	35.00 (Postposit)

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd



"Hochelaga" Plate F 465

FIRST GRADE ENAMELED ROLL RIM WASH SINK, with Painted Cast Iron Legs and Braces, Galvanized Iron Supply Pipes and Brackets, Compression Bibbs, Loose Key Stop, Enameled Iron Soap Cups, Painted Cast Iron Trap with Brass Trap Screw.

DIMENSIONS:

Width over all, 32 inches.

Depth inside, .8 inches.

PRICES.


12 ft. long, as described, less Faucets.....	\$154.00 (Postputo)
15 ft. long, as described, less Faucets.....	192.50 (Postquam)
18 ft. long, as described, less Faucets.....	231.00 (Postrar)
21 ft. long, as described, less Faucets.....	269.50 (Postrecht)
24 ft. long, as described, less Faucets.....	308.00 (Postregal)
27 ft. long, as described, less Faucets.....	346.50 (Postremos)
30 ft. long, as described, less Faucets.....	385.00 (Postroute)

For Compression Bibbs, eachadd to above lists \$1.50 (Poststall)

All Sinks above 12 ft. long furnished with 3-inch Trap. 12 ft. Sink, 2-inch Trap.

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd.



"Stratford" Plate F 466

FIRST GRADE ENAMELED ROLL RIM WASH SINK, with Painted Cast Iron Legs and Braces. Fitted with two Galvanized Iron Supply Pipes on Brackets, one for Hot and one for Cold Water. Compression Bibbs, Two Loose Key Stops, Enameled Iron Soap Cups, Painted Cast Iron Trap with Brass Trap Screw.

DIMENSIONS:

Width over all, 32 inches. Depth inside, 8 inches.

PRICES.


12 ft. long, as described, less Faucets.....	\$166.50 (Postscript)
15 ft. long, as described, less Faucets.....	207.75 (Poststube)
18 ft. long, as described, less Faucets.....	249.00 (Postulant)
21 ft. long, as described, less Faucets.....	290.25 (Postulons)
24 ft. long, as described, less Faucets.....	331.50 (Postumas)
27 ft. long, as described, less Faucets.....	372.75 (Postural)
30 ft. long, as described, less Faucets.....	414.00 (Posturist)

For Compression Bibbs, each.....add to above lists \$1.50 (Poststall)

All Sinks above 12 ft. long furnished with 3-inch Trap. 12 ft. Sink, 2-inch Trap.

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

The Standard Ideal Company Ltd



"Welland" Plate F 467

FIRST GRADE ENAMELED ROLL RIM WASH SINK, with Painted Cast Iron Legs and Braces. Galvanized Iron Supply Pipe on Brackets Perforated for Spray. Loose Key Stop, Enameled Iron Soap Cups, Painted Cast Iron Trap with Brass Trap Screw.

DIMENSIONS:

Width over all 32 inches. Depth inside, 8 inches.

PRICES.

12 ft. long, as described.....	\$153.00 (Postwagen)
15 ft. long, as described.....	191.25 (Postwesen)
18 ft. long, as described.....	229.50 (Postzug)
21 ft. long, as described.....	267.75 (Potabile)
24 ft. long, as described.....	306.00 (Potagem)
27 ft. long, as described.....	344.25 (Potagepot)
30 ft. long, as described.....	382.50 (Potagione)

All Sinks above 12 ft. long furnished with 3-inch Trap. 12 ft. Sink, 2-inch Trap.

WHEN ORDERING OR SPECIFYING GIVE CATALOGUE NAME AND NUMBER.

CATALOGUE

"F"


The Standard Ideal Company Ltd.



ROUGHING IN DIMENSIONS

SECTIONAL
LAVATORIES
AND FACTORY
WASH SINKS

FACTORIES AND HEAD OFFICE
PORT HOPE, ONTARIO

BRANCH OFFICES AND SALESROOMS
TORONTO - MONTREAL - WINNIPEG






BOWL - OVAL
CENTRE OUTLET

*Bi Trans. Waste
Adj. P. Trap.*

Roughing in Dimensions.
CAT. No. *F-207* SIZE *20" X 48"*
Approved by _____ DATE *Feb 15 '70*
The Standard Ideal Co. Ltd.
Port Hope, Ont.




Bi transit waste

BOWL-OVAL

CENTRE OUTLET

$1\frac{1}{2}"$ adjustable "S" Trap



Floor Line

PLATE F-209

SIZE $20" \times 48"$

THE STANDARD IDEAL CO. LTD.

PORT HOPE, ONT.





PLATE F-210.

SIZE 20" x 24"

BOWL, OVAL, 11 5/8" x 14 3/4", CENTER OUTLET
 1 1/2" ADJUSTABLE "S" TRAP
 Patent Overflow

THE STANDARD IDEAL Co. LTD.
 PORT HOPE, ONT.






PLATE-F-212
 SIZE $20 \times 24"$
 THE STANDARD IDEAL CO. LTD.
 PORT HOPE, ONT.




PLATE F-213
 SIZE $18" \times 21"$
 THE STANDARD IDEAL CO. LTD.
 PORT HOPE, ONT.




PLATE-F-214
 SIZE 18" X 24"
 THE STANDARD IDEAL CO. LTD.
 PORT HOPE, ONT.








PLATE F-215
SIZE 18"X21"
THE STANDARD IDEAL Co. LTD.
PORT HOPE, ONT.






Bowl - Oval, Center Outlet
 " Patent Overflow
 1 1/2 adjustable "S" Trap

PLATE F-216
 SIZE 20" x 24"
 THE STANDARD IDEAL CO. LTD.
 PORT HOPE, ONT.



BOWL-OVAL-CENTER OUTLET
Bi transit waste 1 1/2" adj. "S" trap

PLATE F-216
 SIZE 20" x 24"
 THE STANDARD IDEAL Co. LTD.
 PORT HOPE, ONT.



Size of Bowl $11\frac{3}{4}" \times 14\frac{3}{4}"$
 For Each Add. Section add $23\frac{7}{8}"$








PLATE F-217
 SIZE $18" \times 24"$
 THE STANDARD IDEAL Co. LTD.
 PORT HOPE, ONT.







Note —
Add 27 1/4" for each
additional lavatory.
1 1/2" adjustable "S" trap



SIZE 22" x 27"


Patent Overflow

BQWL - OVAL, WITH CENTER OUTLET.

SIZE OF BOWL, 11 1/2" x 14 1/2".

PLATE F-218

THE STANDARD IDEAL Co. LTD.
PORT HOPE, ONT.



add 2 1/4" for each additional bowl
1 1/2" adjustable S trap



BOWL DUAL, WITH CENTER OUTLET
SIZE OF BOWL, 11 1/4" x 14 1/2"
Bowl TRANSIT WASTE

PLATE F-218
SIZE 22" x 27"

THE STANDARD IDEAL CO. LTD.
FORT HOPE, ONT.






PLATE F-225
SIZE 18"x24"
THE STANDARD IDEAL CO. LTD.
PORT HOPE, ONT.




Size of bowls $11\frac{3}{4} \times 14\frac{3}{4}$
 Size of sink inside $15\frac{3}{4} \times 20\frac{1}{8}$
 1/4" adjustable "S" trap




Patent Overflow

PLATE F-225
 SIZE 20" x 24"
 THE STANDARD IDEAL Co. LTD.
 PORT HOPE, ONT.





Inside size of sink $13\frac{3}{4}$ " x $20\frac{1}{8}$ "
 1 1/4" adjustable "S" trap



Patent Overflow

PLATE F-226
 SIZE 18" x 24"
 THE STANDARD IDEAL Co. LTD.
 PORT HOPE, ONT.





Patent Overflow


PLATE F-226
SIZE 20"x24"
THE STANDARD IDEAL Co. LTD.
PORT HOPE, ONT.



THE STANDARD IDEAL CO. LTD.
PORT HOPE, ONT.

THE STANDARD IDEAL CO. LTD.
PORT HOPE, ONT.






Add 20' for each additional lavatory

PLATE F-228
SIZE 16"x20"

THE STANDARD IDEAL Co. LTD.
PORT HOPE, ONT.

PORT HOPE, ONT.



THE STANDARD IDEAL Co. LTD.
PORT HOPE, ONT.

Add $27\frac{1}{2}$ " for each additional lavatory

Bowl - oval 22" \downarrow 138-
Center outlet
Patent Overflow





PLATE F-228
SIZE 22"x27"

THE STANDARD IDEAL Co. LTD.
PORT HOPE, ONT.



Bowl oval $11\frac{1}{2} \times 14\frac{1}{2}$ center outlet
 Add $27\frac{1}{2}$ for each additional lavatory
 $1\frac{1}{4}$ adjustable "S" Trap
 Bi transit waste





PLATE F-229
 SIZE 22" x 27"
 THE STANDARD IDEAL Co. LTD.
 PORT HOPE, ONT.



Add for each additional lavatory 20"





PLATE F-230
 SIZE 16" x 20"
 THE STANDARD IDEAL Co. LTD.
 PORT HOPE, ONT.



Add 24" for each additional lav.

Bowl-oval, center outlet, patent overflow $\frac{1}{4}$ " adjustable "S" Trap





PLATE F-230

SIZE 18" X 24"

THE STANDARD IDEAL Co. LTD.

PORT HOPE, ONT.

Add $27\frac{1}{2}$ " for each additional section



Bowl-oval
center outlet

Patent Overflow

$\frac{1}{4}$ adjustable "S" Trap




PLATE F-230

SIZE 22" X 27"

THE STANDARD IDEAL Co. LTD.

PORT HOPE, ONT.

Technical drawing of a door assembly, showing side and end views with dimensions.

Side View (Left):

- Overall height: 30"
- Top section height: 12"
- Section C height: 19 1/4"
- Section B height: 8 1/2"
- Section A height: 10 3/4"
- Section D height: 19 1/4"
- Section E height: 37"
- Section F height: 30"
- Section G height: 12"
- Section H height: 12"
- Section I height: 12"
- Section J height: 12"
- Section K height: 12"
- Section L height: 12"
- Section M height: 12"
- Section N height: 12"
- Section O height: 12"
- Section P height: 12"
- Section Q height: 12"
- Section R height: 12"
- Section S height: 12"
- Section T height: 12"
- Section U height: 12"
- Section V height: 12"
- Section W height: 12"
- Section X height: 12"
- Section Y height: 12"
- Section Z height: 12"

End View (Right):

- Overall width: 42"
- Section A width: 2 1/2"
- Section B width: 2"
- Section C width: 14"
- Section D width: 18"
- Section E width: 9"
- Section F width: 9"
- Section G width: 9"
- Section H width: 9"
- Section I width: 9"
- Section J width: 9"
- Section K width: 9"
- Section L width: 9"
- Section M width: 9"
- Section N width: 9"
- Section O width: 9"
- Section P width: 9"
- Section Q width: 9"
- Section R width: 9"
- Section S width: 9"
- Section T width: 9"
- Section U width: 9"
- Section V width: 9"
- Section W width: 9"
- Section X width: 9"
- Section Y width: 9"
- Section Z width: 9"


Labels:

- center line of back screw holes
- 1/16" Dia
- 5 1/2"
- floor line

CATALOGUE SIZE	5'	8'	10'	12'	15'	18'	20'	25'
A-LENGTH OVER RIM	64"	100½"	124½"	148½"	184½"	221"	245"	305"
B-LENGTH INSIDE RIM	60"	96½"	120½"	144½"	180½"	217"	241"	301"
C-SPACING OF COCK HOLES	30"	24"	30"	24"	30"	24"	24"	30"
D-END TO FIRST COCK HOLE	17"	14¼"	17¼"	14¼"	17¼"	14½"	14½"	17½"
NUMBER OF COCK HOLES	2	4	4	6	6	9	10	10

THE STANDARD IDEAL CO. PORT HOPE, ONT.


PLATE F-457



CATALOGUE SIZE	5'	8'	10'	12'	15'	18'	20'	25'
A-LENGTH OVER RIM	64"	100 1/2"	124 1/2"	148 1/2"	184 1/2"	221"	245"	305"
B-LENGTH INSIDE RIM	60"	96 1/2"	120 1/2"	144 1/2"	180 1/2"	217"	241"	301"
C-SPACING OF FAUCETS	30"	24"	30"	24"	30"	24"	24"	30"
D-END TO FIRST FAUCET	17"	14 1/4"	17 1/4"	14 1/4"	17 1/4"	14 1/2"	14 1/2"	17 1/2"
NUMBER OF FAUCETS	2	4	4	6	6	9	10	10

THE STANDARD IDEAL CO., LTD. PORT HOPE, ONT.

PLATE F-458




Spray pipe connection in center except on 18' sink in which case it is 12" to left of center

CATALOGUE SIZE	5'	8'	10'	12'	15'	18'	20'	25'
A-LENGTH OVER RIM	64"	100 1/2"	124 1/2"	148 1/2"	184 1/2"	221"	245"	305"
B-LENGTH INSIDE RIM	60"	96 1/2"	120 1/2"	144 1/2"	180 1/2"	217"	241"	301"
C-SPACING OF COCK HOLES	30"	24"	30"	24"	30"	24"	24"	30"
D-END TO FIRST COCK HOLE	17"	14 1/4"	17 1/4"	14 1/4"	17 1/4"	14 1/2"	14 1/2"	17 1/2"
NUMBER OF COCK HOLES	2	4	4	6	6	9	10	10

THE STANDARD IDEAL CO. LTD. PORT HOPE. ONT.


PLATE F-459.



CATALOGUE SIZE	5'	8'	10'	12'	15'	18'	20'	25'
A-LENGTH OVER RIM	64"	100 1/2"	124 1/2"	148 1/2"	184 1/2"	221"	245"	305"
B-LENGTH INSIDE RIM	60"	96 1/2"	120 1/2"	144 1/2"	180 1/2"	217"	241"	301"
C-SPACING OF SPOUTS	15"	12"	15"	12"	15"	12"	12"	15"
D-END TO FIRST SPOUT	9 1/2"	8 1/4"	9 3/4"	8 1/4"	9 3/4"	8 1/2"	8 1/2"	10"
NUMBER OF SPOUTS	4	8	8	12	12	18	20	20
FAUCET OFF CENTER	15"	12"	15"	12"	15"	12"	12"	15"

THE STANDARD IDEAL CO., LTD., PORT HOPE, ONT.


PLATE F-480



CATALOGUE SIZE	5'	8'	10'	12'	15'	18'	20'	25'
A-LENGTH OVER RIM-----	64"	100½"	124½"	148½"	184½"	221"	245"	305"
B-SPACING OF COCK-HOLES-----	30"	24"	30"	24"	30"	24"	24"	30"
C-END TO FIRST C.-HOLE	17"	14¼"	17¼"	14¼"	17¼"	14½"	14½"	17½"
NUMBER OF COCK-HOLES	2	4	4	6	6	9	10	10

THE STANDARD IDEAL CO., LTD. PORT HOPE ONT.

PLATE F-461



CATALOGUE SIZE	5'	8'	10'	12'	15'	18'	20'	25'
A-LENGTH OVER RIM	64"	100 1/2"	124 1/2"	148 1/2"	184 1/2"	221"	245"	305"
B-SPACING OF FAUCETS	30"	30"	24"	30"	30"	30"	30"	30"
C-END TO FIRST FAUCET	17"	35 1/4"	26 1/4"	29 1/4"	17 1/4"	35 1/2"	17 1/2"	17 1/2"
NUMBER OF FAUCETS	2	2	4	4	6	6	8	10

THE STANDARD IDEAL CO., LTD. PORT HOPE, ONT.



THE STANDARD IDEAL Co. LTD.
PORT HOPE, ONT.




PLATE F - 463

THE STANDARD IDEAL Co. LTD.
PORT HOPE, ONT



THE STANDARD IDEAL Co. LTD.
PORT HOPE, ONT.


[illegible]

CATALOGUE SIZE	12'	15'	18'	21'	24'	27'	30'
A-LENGTH OVER RIM-----	145"	181"	217"	253"	289"	325"	361"
NUMBER OF FAUCETS-----	4	5	6	7	8	9	10

THE STANDARD IDEAL CO., LTD. PORT HOPE, ONT.

5

5



This catalogue is issued in this
size in sections as follows:

A.—Bath Tubs, etc.

B.—Lavatories and Drinking
Fountains.

C.—Sectional Lavatories and
Wash Sinks.

D.—Laundry Tubs and Sinks.

E.—Range Closets and Uri-
nals.

Any of the above can be had
on application.